## **West Australian Immunisation Schedule**

**30 November 2018** 

AGE	ANTIGEN	VACCINE BRAND	COMMENT				
CHILDHOOD AND ADOLESCENT							
Birth to <7 days	Hepatitis B	H-B-Vax II Paed or Engerix-B Paed					
6 to 8 weeks	DTPa-hepB-IPV-Hib	Infanrix hexa					
	13vPCV	Prevenar 13					
	Rotavirus	Rotarix	Oral Dose 1: 6 - 14 weeks of age				
			Multiple doses needed.				
Aboriginal only	4vMenCV (A,C,W,Y)	Nimenrix	# Refer MenACWY Statewide Program				
4 months	DTPa-hepB-IPV-Hib	Infanrix hexa					
	13vPCV	Prevenar 13					
	Rotavirus	Rotarix	Oral Dose 2: 10 - 24 weeks of age				
			Multiple doses needed.				
Aboriginal only	4vMenCV (A,C,W,Y)	Nimenrix	# Refer MenACWY Statewide Program				
6 months	DTPa-hepB-IPV-Hib	Infanrix hexa					
Aboriginal and/or medically at risk	13vPCV	Prevenar 13					
12 months	MMR	MMR II or Priorix					
	13vPCV	Prevenar 13					
	4vMenCV (A,C,W,Y)	Nimenrix					
Aboriginal only	Hepatitis A	Vaqta					
Pre-term or low birth weight	Hepatitis B	H-B-Vax II Paed or Engerix-B Paed	<32 weeks gestation or <2000g birth weight				
13 months to < 5 years	4vMenCV (A,C,W,Y)	Nimenrix	Administer only if 12 month dose not received.				
			# Refer MenACWY Statewide Program				
18 months	MMRV	Priorix Tetra or ProQuad	Not to be given as first dose of MMR containing vaccine if aged <4				
	DTPa	Infanrix or Tripacel					
	Hib	Menitorix or Act-Hib					
Aboriginal only	Hepatitis A	Vaqta					
4 years	DTPa-IPV	Quadracel or Infanrix IPV					
All medically at risk children	23vPPV	Pneumovax 23					
Year 7 and 8	HPV	Gardasil <sup>®</sup> 9	Multiple doses needed. Refer Handbook				
	dTpa	Boostrix or Adacel					
Year 10 and ages 15 to < 20 years	4vMenCV (A,C,W,Y)	Nimenrix or Menveo					

All persons aged < 20 years of age are eligible to catch up vaccines above, as well as IPV, VZV and MenC. It is preferable to administer Men ACWY vaccines for Men C catch ups

# MenACWY Vaccination Guidance at http://ww2.health.wa.gov.au/Articles/F\_I/Immunisation-schedule-and-catch-up-immunisations

ADULT					
≥ 15 years Aboriginal and medically at risk	23vPPV	Pneumovax 23			
≥ <b>50 years</b> Aboriginal only	23vPPV	Pneumovax 23			
≥ 65 years	23vPPV	Pneumovax 23			
70 to 79 years	Herpes-zoster	Zostavax			
Pregnant Women	dTpa	Boostrix or Adacel	During each pregnancy, third trimester: 28 - 32 weeks preferred		

Adult refugees and humanitarian entrants are eligible to catch up dTpa, Hepatitis B, IPV, MMR and VZV vaccines

INFLUENZA					
6 months to <3 years	Influenza	FluQuadri Junior	Children aged 6 months to <9 years of age require 2 doses (1 month apart) in the first year they		
3 years to <5 years	Influenza	Fluarix Tetra or FluQuadri			
≥ <b>5 years to 17 years</b> Aboriginal and/or medically at risk	Influenza	Fluarix Tetra or FluQuadri	receive the vaccine.		
≥ 18 years Aboriginal and/or medically at risk	Influenza	Afluria Quad, Fluarix Tetra, FluQuadri	Afluria Quad must only be administered to people aged ≥ 18 years and older		
≥ 65 years	Influenza	Fluad or Fluzone High-Dose			
Pregnant Women	Influenza	Fluarix Tetra, FluQuadri, Afluria Quad*	During each pregnancy, any trimester		
WA Health Staff	Influenza	Fluarix Tetra, FluQuadri	≥ 65 years Fluad or Fluzone High-Dose		
Further influenza vaccine informat	ion, refer to the AT	AGI advice within the link below:	<u> </u>		

https://beta.health.gov.au/resources/publications/atagi-advice-on-seasonal-influenza-vaccines-in-2018

The term Aboriginal is inclusive of Aboriginal and Torres Strait Islander people

Vaccine brands subject to availability. For further information refer to the Australian Immunisation Handbook at the link below:

https://immunisationhandbook.health.gov.au/