








I NEED TO STAY AT HOME IF I ...

HAVE A FEVER	AM VOMITING +/- DIARRHOEA	HAVE A CONSTANT RUNNY NOSE +/- HARSH COUGH	HAVE HEAD LICE	HAVE AN EYE INFECTION	HAVE A RASH	AM NOT MYSELF
						
Temperature of 37.5 degrees or higher	Within the past 48 hours	Thick coloured discharge & a barking or moist cough	Itchy head with active head lice	Redness, itching and discharge from the eye	Body rash +/- itching & fever	May be pale, lethargic and generally not feeling well.

I AM READY TO GO BACK TO SCHOOL WHEN ...

I am free from fever for 24 hours without the assistance of Panadol or Nurofen	I have been free from vomiting & diarrhoea for 48 hours	I only have a clear runny nose & mild, infrequent cough	I have had the appropriate lice treatment at home	I have had appropriate treatment and don't have any discharge from my eyes	I am free from rash, itching and fever and seen a Doctor if needed	I am back to my usual self, active and playful
--	---	---	---	--	--	--

If your child has a bacterial infection, he/she should stay at home until the antibiotic has been given for at least 24 hours and your Doctor has given permission for your child to return to school.

We encourage you to seek medical attention if you have any concerns about your child, and follow your Doctors recommendations about returning to school and other activities.

In the best interest of your child and the wider College Community, if your child is unwell, please keep them at home.